



AMERI-KING CORP.

17881 Sampson Lane, Huntington Beach, CA 92648

Phone (714) 842-8555

Fax (714) 842-4235

ameriking9@aol.com

www.ameri-king.com

CONFIDENTIAL DEALERS PRICE LIST ALL PRODUCTS

dated 01/01/10

TABLE OF CONTENT

MODEL / PART NO.	DESCRIPTION	PAGE
1. AK-950	GPS/NAV Switching & Annunciator Panel, Micro Size, 24 Poles Relays Built-In	3
2. AK-950 L	GPS/NAV Switching & Annunciator Panel, Micro Size	5
3. AK-950	EGPWS/TAWS Switching & Annunciator Panel	6
4. AK-950-F ()	GPS Avionics Fan, Universal Remote Mounted, Hoses Included	7
5. AK-950-R ()	Remote Relay Assembly With 8/12/24/48 Poles	8
6. AK-550-()	Regulated DC/DC Power Booster Converter	9
7. AK-551-()	Regulated DC/DC Power Reducer Converter	10
8. AK-551-LD-M-()	Regulated DC/DC Light Dimmer, PWM Designed, Mil Spec	11
9. AK-551-LD-()	Regulated DC/DC Light Dimmer, Commercial Designed	12
10. AK-950-FTR	RFI DC Line Filter	12
11. AK-450	ELT Emergency Locator Transmitter, 121.5/243.0 MHz	13
12. AK-350	Altitude Encoder – 30,000 ft	14

13.	AK-451-(PLB)	PLB Personal Locator Beacon	15
		with Tripple Freq 406/121.5/243 MHz	
14.	AK-451-(AF)(AP) ELT Emergency Locator Transmitter		
	with Tripple Freq 406/121.5/243 MHz and GPS/NAV Position	16
	AK-451-0	ELT Transmitter only.....	24
	AK-451-1	General Aviation..... Whip / USA	25
	AK-451-2	General Aviation..... Whip / Portable / USA	26
	AK-451-3	Business Jet Aircraft Rod3 / Portable	32
	AK-451-4	Business Jet Aircraft Rod4 / Portable	33
	AK-451-5	Transport Aircraft Blade / Portable	34
	AK-451-6	Transport Aircraft GPS / Whip / Portable	18
	AK-451-7	Business Jet Aircraft GPS / Rod3 / Portable	19
	AK-451-8	Business Jet Aircraft GPS / Rod4 / Portable	20
	AK-451-9	Transport Aircraft GPS / Blade / Portable	21
	AK-451-10	General Aviation..... Auto Portable	22
	AK-451-11	All..... Survival	23
	AK-451-12	Helicopter..... Heli /w 450000-1 / Whip / Portable.....	40
	AK-451-13	Helicopter..... GPS / Heli / 450000-1 / Rod3 / Portable ...	43
	AK-451-14	Helicopter..... Heli / Rod3 / Portable.....	36
	AK-451-15	Helicopter..... Heli / Whip / Portable	35
	AK-451-16	Helicopter..... Heli /w 450000-1 / Rod3 / Portable	41
	AK-451-17	Helicopter..... GPS / Heli / Whip / Portable.....	37
	AK-451-18	Helicopter..... GPS / Heli / Rod3 / Portable	38
	AK-451-19	Helicopter..... GPS / Heli / 450000-1 / Whip / Portable....	42
	AK-451-20	General Aviation..... Whip / Portable / Canada.....	27
	AK-451-21	General Aviation..... Whip / Portable / WW.....	28
	AK-451-22	(Reserved)	
	AK-451-23	General Aviation..... GPS / Whip / Portable.....	17
	AK-451-24	(Reserved)	
	AK-451-25	(Reserved)	
	AK-451-RK1-C	General Aviation..... Whip / Portable	44
	AK-451-RK1A-C	Business Jet Aircraft..... Rod3 / Portable.....	44
	AK-451-RK1-GPS-C	General Aviation..... GPS / Whip / Portable	46
	AK-451-RK1A-GPS-C	Business Jet Aircraft..... GPS / Rod3 / Portable	46
	AK-451-RK2-C	Transport Aircraft..... Blade / Portable	48
	AK-451-RK2-GPS-C	Transport Aircraft..... GPS / Blade / Portable	50
15.	Accessories for Model AK-451	52

CONFIDENTIAL DEALER PRICE LIST (Pg. 3)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL

GPS ACCESSORIES PRODUCT LINES

AK-950

GPS/NAV SWITCHING & ANNUNCIATOR PANEL, MICRO SIZE, 24 Poles relays built-in
FAA TSO-C129a and STC approved. Specify 28 Vdc or 14 Vdc.
Applicable to all GPS available in the Market.
Custom Design for FMS is possible, Please contact Factory.

FEATURES:

- World's Smallest Annunciator Panel with 24 Relays built-in.
- Minimum Panel Space required (2.12" W x 1.00" H x 2.63"D) only.
- ILS Annunciator with or without Auto Override. (Meet Canadian Regulation.)
- Silver Ring Front Bezel Panel to match with other Avionics Silver Crown Radios.
- Illuminated Pushed Buttons Switches with Soft Activated Force for easy Operation during Air Turbulence.
- Automatic Dimming with Photocell Detector and Lamp Test.
- Sun Light Readable with Extra Large Lettering for easy Reading.
- Single Connector for simplified Installation.
- Front or Rear Horizontal/Vertical mounting.
- Optional Pre fabricated Mil SPEC Wiring harness assemblies.
- Micro Size, Light weight (0.35 Lbs.)

ACCESSORIES:

- Machined Crimped type connector Kit.

WARRANTY:

- Two (2) Years. Optional Extended Four (4) years Warranty.



- * P/N AK-950-KLN-900 (Honeywell/ Bendix/ King)
- * P/N AK-950-KLN-90B (Honeywell/ Bendix/ King)
- * P/N AK-950-KLN-89B (Honeywell/ Bendix/ King)

- * P/N AK-950-GPS 400W/500W GNC 420W/520W (Garmin)
- * P/N AK-950-GPS 400/500 GNC 420/520 (Garmin)
- * P/N AK-950-GNC 300/300XL/155XL (Garmin)
- * P/N AK-950-GNC 155/165 (Garmin)
- * P/N AK-950-GNC 250 (Garmin)
- * P/N AK-950-GNC 150 (Garmin)

- * P/N AK-950-TNL2000A/T 2101 I/O (Trimble)
- * P/N AK-950-8100/ HT-9000 (Trimble)
- * P/N AK-950-5000 (Arnav Star)
- * P/N AK-950-CM/CT 2000 (Skyforce)
- * P/N AK-950-AV-12IFR (AshTech)

- * P/N AK-950-2001/2101 GX-50/60 SL-50/60 (II Morrow)
- * P/N AK-950-GX-55 (II Morrow)


- * P/N AK-950-M3 Approach/Enroute (North Star)
- * P/N AK-950-UNS-1() (Universal Avionics)

P/N 9500001
P/N 9500003
P/N 9500004
P/N 9500005


Optional Cable assembly with Connector & MIL SPEC Shielded Wire
Optional Panel Adapter. 2 1/4 inches Round Hole
Optional Panel Adapter. 3 1/8 inches Round Hole
Optional Panel Adapter. 1/2 ATI Size Hole

CONFIDENTIAL DEALER PRICE LIST (Pg. 4)


AK-950 (SERIES) SWITCHING & ANNUNCIATOR PANNEL WITH OR WITHOUT RELAYS BUILT-IN




CUT OUT DIMENSION




Garmin GPS 400W/500W /GNC 420W/520W




Garmin GPS 400/500/GNC 420/520




Garmin GNC 300/300XL/ GPS 155XL




Garmin 155/165 GPS




Garmin GNS 500/500A / 530/530A TAWS




Garmin GNS 480/CNX 80 VHF/V




Garmin GNS 430/530/530W




Garmin GNS 430530




Honeywell Bendix/King KLN90B - H/V




Honeywell Bendix/King KLN89B/94 GPS RNAV




Honeywell KGP 560 GA-EGPWS




Honeywell KGP 560 GA-EGPWS WRADAR




Honeywell MK VI/ VIII-1




Honeywell MK VI/ VIII-2




Honeywell Bendix/King GPS KMD 150




Trimble Navigation Inc. 2000A/T 2101 GPS




North Star M3 IFR



UPS Aviation Technology Inc.



**Garmin GNS 430/530/530W - VERTICAL
2101GPS GX50/60/65**



NOTE: PLEASE CALL FACTORY
FOR CUSTOM ANNUNCIATOR
REQUIREMENTS

CONFIDENTIAL DEALER PRICE LIST (Pg. 5)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL

GPS ACCESSORIES PRODUCT LINES

AK-950 L

GPS/NAV SWITCHING & ANNUNCIATOR PANEL. MICRO SIZE

No relays built-in, for use with CDI KI-208A/209A only. Applicable to all GPS available in the Market.

Silver Ring Front Panel to match with other Avionics Radios.

FAA TSO-C129a and STC approved. Specify 28 Vdc or 14 Vdc.

Custom Design for FMS is possible. Please contact Factory.

FEATURES:

- World's Smallest Annunciator Panel.
- Minimum Panel Space required (2.12" W x 1.00" H x 2.63" D) only.
- ILS Annunciator with or without Auto Override. (Meet Canadian Regulation.)
- Silver Ring front Bezel Panel to match with other Avionics Silver Crown Radios.
- Illuminated Pushed Buttons Switches with Soft Activated Force for Easy Operation during Air Turbulence.
- Automatic Dimming with Photocell Detector and Lamp Test.
- Sun Light Readable with Extra Lettering for Easy Reading.
- Single Connector for simplified Installation.
- Front or Rear Horizontal/Vertical mounting.
- Optional Pre fabricated MIL SPEC Wiring Harness Assemblies.
- Micro Size, Light Weight (0.25 Lbs.)

ACCESSORIES: Machined Crimped Type Connector Kit.

WARRANTY: Two (2) YEARS. Optional Extended Four (4) years Warranty.



- * P/N AK-950-L-KLN-900 (Honeywell / Bendix / King)
- * P/N AK-950-L-KLN-90B (Honeywell / Bendix / King)
- * P/N AK-950-L-KLN-89B /94 (Allied Signal)

- * P/N AK-950-L-GNS 430/530/530W (Garmin)
- * P/N AK-950-L-GNS 430/530 Annunciator Light Only (Garmin)
- * P/N AK-950-L-GNS 480 / CNX 80 VHF (Garmin)
- * P/N AK-950-L-GNC 300/155XL (Garmin)
- * P/N AK-950-L-GNC 165/155 (Garmin)
- * P/N AK-950-L-GNC 250 (Garmin)

- * P/N AK-950-L-GNS 500/500A/530/530A- TAWS (Garmin)
- * P/N AK-950-L-ST 3400 TAWS (Sandel)

- * P/N AK-950-L-TNL2000A/T 21011/0 (Trimble)
- * P/N AK-950-L-8100/ HT-9000 (Trimble)
- * P/N AK-950-L-5000 (Arnav Star)
- * P/N AK-950-L-CM/CT 2000 (Skyforce)
- * P/N AK-950-L-AV-12IFR (AshTech)

- * P/N AK-950-L-2001/2101 GX-50/60 SL-50/60 (II Morrow)
- * P/N AK-950-L-GX-55 (II Morrow)

- * P/N AK-950-L-M3 Approach/Enroute (North Star)
- * P/N AK-950-L-UNS-1() (Universal Avionics)

- | | |
|-------------|---|
| P/N 9500001 | Optional Extra Connector with MIL SPEC Crimp Pins |
| P/N 9500003 | Optional Panel Adapter. 2 ¼ inches Round Hole |
| P/N 9500004 | Optional Panel Adapter. 3 1/8 inches Round Hole |
| P/N 9500005 | Optional Panel Adapter. ½ ATI Size Hole |

CONFIDENTIAL DEALER PRICE LIST (Pg. 6)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL

EGPWS/TAWS ACCESSORIES PRODUCT LINES

AK-950

EGPWS/TAWS SWITCHING & ANNUNCIATOR PANEL

MICRO SIZE, FAA PMA approved. Specify 28 Vdc or 14 Vdc.

Applicable to all EGPWS/TAWS available in the market. Immediate delivery

Custom Design for FMS/Radar is possible, Please contact Factory.



FEATURES:

- World's Smallest Annunciator Panel with Relays built-in.
- Minimum Panel Space required (2.12" x 1.00" H x 2.63"T only).
- Unit Lamp Test is included for Easy Installation.
- Silver Ring Front Bezel Panel to match with other Avionics Silver Crown Radios.
- Illuminated Push-Button Switches with Soft Activated Force for easy Operation during Air Turbulence.
- Automatic Dimming with photocell Detector and Lamp Test.
- Sun Light Readable with Extra Large Lettering for easy Reading.
- Single Connector for simplified Installation.
- Front or Rear Horizontal/ Vertical mounting.
- Optional Pre-fabricated Mil SPEC Wiring harness assemblies.
- Micro Size, Light Weight (0.35 lbs).

ACCESSORIES:

- Machined-Crimped type connector Kit.

WARRANTY:

- Two (2) years. Optional extended Four (4) years warranty.

P/N AK-950-KGP 560: * Honeywell KGP 560 (GA—EGPWS)

P/N AK-950-KGP 560-RDR: * Honeywell KGP 560 (GA-EGPWS) with Radar / Terrain Display

P/N AK-950-MK V: * Honeywell MK V (EGPWS)

AK-950-MK VI / VIII-1



AK-950-MK VI / VIII-2



AK-950-MK VI / VIII-1



P/N AK-950—MK VI/VIII-1: * Honeywell MK VI/VIII (EGPWS)

P/N AK-950—MK VI/VIII-2: * Honeywell MK VI/VIII (EGPWS)

P/N AK-950—MK XI: * Honeywell MK XI (EGPWS)

P/N AK-950—MK XII: * Honeywell MK XII (EGPWS)

P/N AK-950—(): * Custom Design for various EGPWS

P/N 9500001 Optional Cable assembly with Connector & MIL SPEC Shielded Wires

P/N 9500003 Optional Panel Adapter. 2 ¼ inches Round Hole

P/N 9500005 Optional Panel Adapter. ½ ATI Size Hole

CONFIDENTIAL DEALER PRICE LIST (Pg. 7)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL

GPS ACCESSORIES PRODUCT LINES

AK-950-F ()

**GPS AVIONICS Fan, universal Remote mounted, Hoses included.
FAA PMA approved. Specify 28 Vdc or 14 Vdc.**

FEATURES:

- Universal Remote Mounting or Direct Mounting for Easy Installation.
- Power Reverse Polarity Protection.
- Delivers 26.6 CFM of Force Air Cooling to Avionic Equipments.
- Meets and exceed all Avionics Manufacturer's Specification for Forced Air Cooling Requirements.

ACCESSORIES:

- Flexible Air Hoses; connector Kit.

WARRANTY:

- Two (2) years. Optional Extended Four (4) years warranty.

P/N AK-950-F1-28V

* 1-Port Fan

P/N AK-950-F1-14V

* 1-Port Fan

P/N AK-950-F2-28V

* 2-Ports Fan

P/N AK-950-F2-14V

* 2-Ports Fan

P/N AK-950-F3-28V

* 3- Ports Fan

P/N AK-950-F3-14V

* 3-Ports Fan

P/N AK-950-F5-28V

* 5-Ports Fan

P/N AK-950-F5-14V

* 5-Ports Fan

P/N AK-950-F10-28V

* 10-Ports Fan

P/N AK-950-F10-14V

* 10-Ports Fan

P/N AK-950-F1d -28V

* 1 Port Small, Direct Mounting, for internal Cooling.
In addition, there is a second Port for External Cooling
Extremely Small Size. No remote Hose is required.

P/N AK-950-F1d -14V

* 1 Port Small, Direct Mounting, for internal Cooling.
In addition, there is a second Port for External Cooling
Extremely Small Size. No remote. Hose is required.



CONFIDENTIAL DEALER PRICE LIST (Pg. 8)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL

GPS ACCESSORIES PRODUCT LINES

AK-950-F ()



**GPS AVIONICS FAN, Universal Remote mounted, Hoses included.
FAA TSO-C192a approved. Specify 28 Vdc or 14 Vdc.**

FEATURES:

- Universal Remote Mounting for Easy Installation.
- Power Reverse Polarity Protection.
- Delivers 26.6 CFM of Force Air Cooling to Avionic Equipments.
- Meets and exceeds all Avionics Manufacturer's Specification for Forced Air Cooling Requirements.

ACCESSORIES: Flexible Air Hoses; Connector Kit

WARRANTY: Two (2) Years. Optional extended Four (4) years Warranty.



P/N AK-950-F1-28V 1-Port Fan

P/N AK-950-F1-14V 1-Port Fan

P/N AK-950-F2-28V 2-Ports Fan

P/N AK-950-F2-14V 2-Ports Fan

P/N AK-950-F3-28V 3-Ports Fan

P/N AK-950-F3-14V 3-Ports Fan

P/N AK-950-F5-28V 5-Ports Fan

P/N AK-950-F5-14V 5-Ports Fan

P/N AK-950-F10-28V 10-Ports Fan

P/N AK-950-F10-14V 10-Ports Fan

AK-950-R ()



**REMOTE RELAY ASSEMBLY with 8/12/24/48 Poles,
14/28V Bulkhead rack mounted, FAA TSO-C129a approved.
Specify 28 Vdc or 14 Vdc.**

FEATURES:

- Micro Size Universal Remote Mounting for Easy Installation.
- Single Connector for simplified Installation.
- Relay Failure Detection built-in.
- ILS Auto Override built-in.
- Optional Pre-fabricated MIL SPEC Wiring Harness.
- Protection includes Input Power Reverse Polarity, Power Transient.
- All Relay Coils are protected against EMI and transient Switching.

ACCESSORIES: - Machined Crimped type, mating Connector Kit.

WARRANTY: - Two (2) years. Optional extended four (4) years Warranty.

P/N AK-950-R8-28V

P/N AK-950-R8-14V

* 8 Poles Relay Assembly

* 8 Poles Relay Assembly

P/N AK-950-R12-28V

P/N AK-950-R8-14V

* 12 Poles Relay Assembly

* 12 Poles Relay Assembly

P/N AK-950-R24-28V

P/N AK-950-R24-14V

* 24 Poles Relay Assembly

* 24 Poles Relay Assembly

P/N AK-950-R24-28V

P/N AK-950-R24-14V

* 48 Poles Relay Assembly

* 48 Poles Relay Assembly

P/N 9500001B Connector Kit, 78 Female Machine Pins, Crimp Type

CONFIDENTIAL DEALER PRICE LIST (Pg. 9)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL *POWER CONVERSION PRODUCT LINES*

P/N AK-550-6



REGULATED DC/DC POWER BOOSTER CONVERTER, 6 Amps

FAA TSO-C71 approved.

DESIGNED TO MEET MIL STD – 810 D / 704 Cat B / 461C / 202 C ; MIL-T-5422F CI 1A.
(GARMIN INTERNATIONAL INC. P/N 013-00051-00)

Input= + (9.0-16.1)Vdc. Output= + 28 Vdc Regulated Fixed.

Output Current of 6 Amp. Continuously.

FEATURES:

- Output Over current Protection; Short Circuit Protection.
- Extremely Low Standby (No Load) Power Consumption.
- PWM Design, Hi Efficiency, Low Heat, Low Ripple; Small Size; Light Weight.
- MIL SPEC Connector included.

ACCESSORIES:

MIL SPEC Mating Connector with MS Cable Clamp

WARRANTY:

One (1) year.

Optional Extended Three (3) years Warranty.

P/N AK-550-6C

REGULATED DC/DC POWER BOOSTER CONVERTER, 6 Amps

FAA TSO-C71 approved. General Aviation Applications

Input= + (9.0-16.1)Vdc. Output= + 28 Vdc Regulated Fixed.

Output Current of 6 Amp. Continuously.

P/N AK-550-12



REGULATED DC/DC POWER BOOSTER CONVERTER, 12 Amp

FAA TSO-C71 approved.

DESIGNED TO MEET MIL STD – 810 D / 704 Cat C / 461C / 202 C ; MIL-T-5422F CI 1A.

Input= + (9.0-16.1)Vdc. Output= + 28 Vdc Regulated Fixed.

Output Current of 12 Amp. Continuously.

FEATURES, ACCESSORIES & WARRANTY: Same as AK-550-6.

P/N AK-550-12C

REGULATED DC/DC POWER BOOSTER CONVERTER, 12 Amp

FAA TSO-C71 approved, General Aviation Applications

Input= + (9.0-16.1)Vdc. Output= + 28 Vdc Regulated Fixed.

Output Current of 12 Amp. Continuously.

P/N AK-550-24



REGULATED DC/DC POWER BOOSTER CONVERTER, 24 Amps

FAA TSO-C71 approved.

DESIGNED TO MEET MIL STD-810 D/704 Cat B/461C/202 C; MIL-T-5422F CI 1A.

Input= + (9.0-16.1)Vdc. Output= + 28 Vdc Regulated Fixed.

Output Current of 24 Amp. Continuously.

The System is consisted of two AK-550-12

Diode Isolation protected at all outputs for Multi Loads Application.

FEATURES, ACCESSORIES & WARRANTY: Same as AK-550-6.

P/N AK-550-36



REGULATED DC/DC POWER BOOSTER CONVERTER, 36 Amps

FAA TSO-C71 approved.

DESIGNED TO MEET MIL STD – 810 D / 704 Cat B / 202 C ; MIL-T-5422F CI 1A.

Input= + (9.0-16.1)Vdc. Output= + 28 Vdc Regulated Fixed.

Output Current of 36 Amp. Continuously.

The System is consisted of three AK-550-12

Diode Isolation protected at all Outputs for Multi Loads Application.

FEATURES, ACCESSORIES & WARRANTY: Same as AK-550-6.

P/N AK-550-48



REGULATED DC/DC POWER BOOSTER CONVERTER, 48 Amp

FAA TSO-C71 approved.

DESIGNED TO MEET MIL STD – 810 D / 704 Cat B / 461C / 202 C ; MIL-T-5422F CI 1A.

Input= + (9.0-16.1)Vdc. Output= + 28 Vdc Regulated Fixed.

Output Current of 48 Amp. Continuously.

The System is consisted of three AK-550-12

Diode Isolation protected at all Outputs for Multi Loads Application.

FEATURES, ACCESSORIES & WARRANTY: Same as AK-550-6.

CONFIDENTIAL DEALER PRICE LIST (Pg. 10)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL

POWER CONVERSION PRODUCT LINES

P/N AK-551-9



REGULATED DC/DC POWER REDUCER CONVERTER, 9 Amps FAA TSO-C71 approved.

Input= + (18.0-32.1) Vdc. Output= + 13.8 Vdc Regulated Fixed.

Output Current of 9 Amps. Continuously.

FEATURES:

- Output Over current Protection.
- Output Short Circuit Protection.
- PWM Design, High Efficiency, Low Heat, Low Ripple; Small Size; Light Weight.

ACCESSORIES: AMP Mating Connector.

WARRANTY: One (1) year. Optional Extended Three (3) years Warranty.

P/N AK-551-18

P/N AK-551-22



REGULATED DC/DC POWER REDUCER CONVERTER, 18 Amp

REGULATED DC/DC POWER REDUCER CONVERTER, 22 Amp

FAA TSO-C71 approved.

Input= + (18.0-32.1) Vdc. Output= + 13.8 Vdc Regulated Fixed.

Output Current of 18 Amps / 22 Amps. Continuously.

Diode Isolation protected at Output for Multi Loads Application.

ACCESSORIES: AMP Mating Connector.

FEATURES & WARRANTY: Same as AK-551-9.

P/N AK-551-9M



REGULATED DC/DC POWER REDUCER CONVERTER

9 Amp, MIL SPEC. FAA TSO-C71 approved.

DESIGNED TO MEET MIL STD-810 D/704 Cat B/461C/202 C; MIL-T-5422F CI 1A.

Input= + (18.0-32.1) Vdc. Output= + 13.8 Vdc Regulated Fixed.

Output Current of 9 Amps. Continuously. MIL SPEC Connector featured

ACCESSORIES: MIL SPEC Mating Connector with MS Cable Clamp

FEATURES & WARRANTY: Same as AK-551-9

P/N AK-551-18M



REGULATED DC/DC POWER REDUCER CONVERTER

18 Amp MIL SPEC. FAA TSO-C71 approved.

DESIGNED TO MEET MIL STD – 810 D / 704 Cat B / 202 C; MIL-T-5422F CI 1A.

Input= + (18.0-32.1) Vdc. Output= + 13.8 Vdc Regulated Fixed.

Output Current of 18 Amps. Continuously. MIL SPEC Connector featured

ACCESSORIES: MIL SPEC Connector with MS Cable Clamp

FEATURES & WARRANTY: Same as AK-551-9.

P/N AK-551-22M



REGULATED DC/DC POWER REDUCER CONVERTER

22 Amp, MIL SPEC. FAA TSO-C71 approved.

DESIGNED TO MEET MIL STD – 810 D / 704 Cat B / 202 C ; MIL-T-5422F CI 1A.

Input= + (18.0-32.1) Vdc. Output= + 13.8 Vdc Regulated Fixed.

Output Current of 22 Amps. Continuously. MIL SPEC Connector featured.

ACCESSORIES: MIL SPEC Connector with MS Cable Clamp

FEATURES & WARRANTY: Same as AK-552-9.

P/N AK-551-40M



REGULATED DC/DC POWER REDUCER CONVERTER

40 Amp, MIL SPEC. FAA TSO-C71 approved.

DESIGNED TO MEET MIL STD – 810 D / 704 Cat B / 202 C ; MIL-T-5422F CI 1A.

Input= + (18-32) Vdc. Output= + 13.8 Vdc Regulated Fixed.

Output Current of 40 Amps. Continuously. MIL SPEC Connectors featured.

ACCESSORIES: MIL SPEC Connector with MS Cable Clamp

FEATURES & WARRANTY: Same as 551-9.


CONFIDENTIAL DEALER PRICE LIST (Pg. 11)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL

POWER CONVERSION PRODUCT LINES



REGULATED DC/DC LIGHT DIMMER, PWM DESIGNED, MIL SPEC, SINGLE OUTPUT FAA TSO-C71 approved.

DESIGNED TO MEET MIL STD – 810 D / 704 Cat B / 461C / 202 C ; MIL-T-5422F CI 1A.

Specify: Input = + (18.0 - 32.1) Vdc. or + (9.0 - 16.1) Vdc Regulated Fixed.

Single Output = + (0.0 - 28/14/05) VDC **Regulated** Adjustable.

FEATURES:

- Output Over current Protection and Short Circuit Protection.
- PWM Design, High Efficiency, Low Heat, Low Ripple; Small Size; Light Weight.
- MIL SPEC Connector included.

ACCESSORIES: MIL SPEC Mating Connector with MS Cable Clamp

WARRANTY: One (1) year. Optional Extended Three (3) years Warranty.

P/N AK-551-LD -M- (0.28) V, 3.6A	Single Output, Current Total of 3.6 Amp. @ (0.0-28) Vdc
P/N AK-551-LD -M- (0.28) V, 6.0A	Single Output, Current Total of 6.0 Amp. @ (0.0-28) Vdc
P/N AK-551-LD -M- (0.28) V, 12A	Single Output, Current Total of 12.0 Amp. @ (0.0-28) Vdc
P/N AK-551-LD -M- (0.28) V, 24A	Single Output, Current Total of 24.0 Amp. @ (0.0-28) Vdc

P/N AK-551-LD -M- (0.14) V, 6A	Single Output, Current Total of 6.0 Amp. @ (0.0-14) Vdc
P/N AK-551-LD -M- (0.14) V, 12A	Single Output, Current Total of 12.0 Amp. @ (0.0-14) Vdc
P/N AK-551-LD -M- (0.14) V, 24A	Single Output, Current Total of 24.0 Amp. @ (0.0-14) Vdc

P/N AK-551-LD -M- (0-5) V, 6A	Single Output, Current Total of 6.0 Amps. @ (0.0-5.0) Vdc
P/N AK-551-LD -M- (0-5) V, 12A	Single Output, Current Total of 12.0 Amps. @ (0.0-5.0) Vdc
P/N AK-551-LD -M- (0-5) V, 24A	Single Output, Current Total of 24.0 Amps. @ (0.0-5.0) Vdc



REGULATED DC/DC LIGHT DIMMER , PWM DESIGNED, MIL SPEC, DUAL OUTPUT 12 Amp FAA TSO-C71 approved.

DESIGNED TO MEET MIL STD – 810 D / 704 Cat C / 461C / 202 C ; MIL-T-5422F CI 1A .

Specify: Input = + (18.0-32.1) Vdc. or + (9.0-16.1) Vdc.

Single Output = +(0.0-28/14/05) VDC **or** +(0.0-28/05) Vdc or (0.0-14/5) Vdc **Regulated** Adjustable.

FEATURES:

- Output Over current Protection and Short Circuit Protection.
- PWM Design, High Efficiency, Low Heat, Low Ripple; Small Size; Light Weight
- MIL SPEC Connector included

ACCESSORIES: -MIL SPEC Mating Connector with MS Cable Clamp

WARRANTY: -One (1) year. Optional Extended Three (3) years Warranty.

P/N AK-551-LD-M- (0-28/14) V, 6.0A	Dual Output, Current Total of Amp. 6.0 @ (0.0-28/14.0) Vdc
P/N AK-551-LD-M- (0-28/14) V, 12A	Dual Output, Current Total of Amp. 12.0 @ (0.0-28/14.0) Vdc
P/N AK-551-LD-M- (0-28/14) V, 24A	Dual Output, Current Total of Amp. 24.0 @ (0.0-28/14.0) Vdc

P/N AK-551-LD-M- (0-28/05) V, 6.0A	Dual Output, Current Total of Amp. 6.0 @ (0.0-28/05) Vdc
P/N AK-551-LD-M- (0-28/05) V, 12A	Dual Output, Current Total of Amp. 12.0 @ (0.0-28/05) Vdc
P/N AK-551-LD-M- (0-28/05) V, 24A	Dual Output, Current Total of Amp. 24.0 @ (0.0-28/05) Vdc

P/N AK-551-LD-M- (0-14/05) V, 6A	Dual Output, Current Total of Amp. 6.0 @ (0.0-14/05) Vdc
P/N AK-551-LD-M- (0-14/05) V, 12A	Dual Output, Current Total of Amp. 12.0 @ (0.0-14/05) Vdc
P/N AK-551-LD-M- (0-14/05) V, 24A	Dual Output, Current Total of Amp. 24.0 @ (0.0-14/05) Vdc



REGULATED DC/DC LIGHT DIMMER , PWM DESIGNED, MIL SPEC, TRIPPLE OUTPUT 24 Amp FAA TSO-C71 approved.

DESIGNED TO MEET MIL STD – 810 D / 704 Cat C / 461C / 202 C ; MIL-T-5422F CI 1A .

Specify: Input = + (18.0-32.1) Vdc. or + (9.0-16.1) Vdc.

Single Output = +(0.0-28/14/05) VDC **or** +(0.0-28/05) Vdc or (0.0-14/5) Vdc **Regulated** Adjustable.

FEATURES:

- Output Over current Protection and Short Circuit Protection.
- PWM Design, High Efficiency, Low Heat, Low Ripple; Small Size; Light Weight
- MIL SPEC Connector included

ACCESSORIES: -MIL SPEC Mating Connector with MS Cable Clamp

WARRANTY: -One (1) year. Optional Extended Three (3) years Warranty.

P/N AK-551-LD-M- (0-28/05) V, 6.0A	Tripple Output, Current Total of Amp. 6.0 @ (0.0-28/14/05) Vdc
P/N AK-551-LD-M- (0-28/05) V, 12A	Tripple Output, Current Total of Amp. 12.0 @ (0.0-28/14/05) Vdc
P/N AK-551-LD-M- (0-28/05) V, 24A	Tripple Output, Current Total of Amp. 24.0 @ (0.0-28/14/05) Vdc

CONFIDENTIAL DEALER PRICE LIST (Pg. 12)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL

POWER CONVERSION PRODUCT LINES

P/N AK-950-FTR

RFI DC LINE FILTER FAA TSO-C71 approved.

Filtered Line Voltage = $+ (9.0 - 32.1)$ Vdc.

Filtered Line Current = $(40 - 100)$ Amp. Continuously.



FEATURES:

- Eliminates RFI Effects to all Avionic Equipment
- Solid Construction with Encapsulation Porting for Severed Vibration.
- The Filter has a Cutoff Frequency of 60 KHz, rejects in excess of 50 db minimum at Frequency of 350 KHz to 2.000 MHz, including GPS 1,575 MHz Range.
- Extremely Low Impedance, 0.050 OHMS, hence Low Voltage Drop to various Avionic Systems including ADF Automatic Direction Finder, Intercom, Audio Controller, VHF/UHF Transceiver, NAV/ COMM, Loran Receiver, AM/FM Radio, Moving Map, Storm scopes, Radars, GPS Receiver

ACCESSORIES: Terminal Lugs and Locked Washers.

WARRANTY: One (1) year. Optional extended Three (3) years Warranty.

P/N AK-950-FTR



RFI DC LINE FILTER, GENERATOR / ALTERNATOR ONLY FAA TSO-C71 approved.

Filtered Voltage = $+ (9.0 - 32.1)$ Vdc

FEATURES:

Same as AK-950-FTR above, except it contains Waveform Smoothing Filter. This Waveform Smoothing Filter eliminates RFI Noise at Low Frequencies only caused by Alternator, Generator, Strobe Light Power Supply, Cooling Fan, Fuel Pump Motor, Ignition Controller, Pressurization Motors etc.

ACCESSORIES & WARRANTY: Same as AK-950-FTR

DC/DC LIGHT DIMMER, COMMERCIAL DESIGNED, (0-28)(0-14)Outputs FAA TSO-C71 approved.

Input = $+14$ Vdc or $+28$ Vdc.

Single (1)/ Dual (2)/ Triple (3)/ Quadruple (4) Output: = $+(0-14)/(0-28)$ Vdc Adjustable.

FEATURES:

- Short Circuit Protection.
- Solid State Linear Design.

ACCESSORIES: - Molex/AMP Mating Connector and Potentiometers included.

WARRANTY: - One year. Optional Extension of three years.

P/N AK-551-LD -S6A(0-14)V Single 1 Pot Control, 6.0 Amp. @ $(0 - 14)$ Vdc
P/N AK-551-LD -S6A(0-28)V Single 1 Pot Control, 6.0 Amp. @ $(0 - 28)$ Vdc
P/N AK-551-LD -S12A(0-14)V Single 1 Pot Control, 12.0 Amp. @ $(0 - 14)$ Vdc
P/N AK-551-LD -S12A(0-28)V Single 1 Pot Control, 12.0 Amp. @ $(0 - 28)$ Vdc
P/N AK-551-LD -S18A(0-14)V Single 1 Pot Control, 18.0 Amp. @ $(0 - 14)$ Vdc
P/N AK-551-LD -S18A(0-28)V Single 1 Pot Control, 18.0 Amp. @ $(0 - 28)$ Vdc
P/N AK-551-LD -S24A(0-14)V Single 1 Pot Control, 24.0 Amp. @ $(0 - 14)$ Vdc
P/N AK-551-LD -S24A(0-28)V Single 1 Pot Control, 24.0 Amp. @ $(0 - 28)$ Vdc

P/N AK-551-LD -D12A(0-14)V Dual 2 Pot Control, 12.0 Amp. @ $(0 - 14)$ Vdc
P/N AK-551-LD -D12A(0-28)V Dual 2 Pot Control, 12.0 Amp. @ $(0 - 28)$ Vdc
P/N AK-551-LD -D24A(0-14)V Dual 2 Pot Control, 24.0 Amp. @ $(0 - 14)$ Vdc
P/N AK-551-LD -D24A(0-28)V Dual 2 Pot Control, 24.0 Amp. @ $(0 - 28)$ Vdc

P/N AK-551-LD -Q24A(0-14)V Quadruple 4 Pot Control, 24.0 Amp. @ $(0 - 14)$ Vdc
P/N AK-551-LD -Q24A(0-28)V Quadruple 4 Pot Control, 24.0 Amp. @ $(0 - 28)$ Vdc

P/N AK-551-LD -O24A(0-14)V Octal 8 Pot Control, 48.0 Amp. @ $(0 - 14)$ Vdc
P/N AK-551-LD -O24A(0-28)V Octal 8 Pot Control, 48.0 Amp. @ $(0 - 28)$ Vdc



CONFIDENTIAL DEALER PRICE LIST (Pg. 13)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL **ELT EMERGENCY LOCATOR TRANSMITTER WITH VOICE TRANSMITTING PRODUCT LINES**

P/N AK-450 **ELT EMERGENCY LOCATOR TRANSMITTER, 121.5/243.0 MHz
with Voice Transmitting Capability, Types AF and AP
FAA TSO-C91a & FCC approved.**



FEATURES:

- Dual Operation, for both Automatic Fixed Mode and Portable Mode.
- Voice Transmission Capability.
- Visual ON Light located on ELT Main Unit to indicate when ELT is transmitting.
This is important during Portable Use.
- Mini Remote Control Panel with independent Battery built-in, therefore Interface with Aircraft Electrical Power is not required.
- All Wiring Interconnect Assemblies included.
- Standard D Size Alkaline Batteries for Future Convenience and Cost Saving.
- Dual Antennas.
- Heavy Duty ABS Case (0.155" Thickness).
- Light Weight: 2.62 Lbs.
- Small Size: (2.95" H X 4.27" W X 5.64" L).
- Currently OEM Production Supply (FAA TC approved) to many Airframe Manufacturers including Mooney Aircraft, Aviat Aircraft, American Champion Aircraft, Luscomb Aircraft, Skystar, Diamond Aircraft Of Canada, Aerospaciale Socata Aircraft of Germany etc.



ACCESSORIES:

Standard Duracell Alkaline Batteries, Remote Control Panel, Fixed Antenna, Portable Telescopic Antenna, Coax Cable Assembly, Wiring Interconnect Assembly, Anodized Mounting Tray.

WARRANTY: Two (2) years. Optional extended Four (4) years.

P/N 450004	Extra Remote Switch Panel Assy
P/N 450017	Extra Whip Fixed Antenna Assembly
P/N 450018	Extra Portable Antenna Assembly
P/N 4500171	Extra Coaxial Cable Assembly
P/N 4500041	Extra Extended Wiring Interconnect Assembly, (30 - 50) ft length
P/N 450013	Extra Mounting Tray
P/N 450014	Extra Mounting Clamp

P/N AK-450-1 **ELT EMERGENCY LOCATOR TRANSMITTER
FOR HELICOPTERS with Multi Axes (5 Axes)
Acceleration Switches for HELICOPTERS. Voice Transmitting Capability is included
Types AF and AP, FAA TSO- C91a & FCC approved.**



FEATURES:

Same as AK-450. The System includes a Remote Multi Axes (5 Axes) Acceleration Switch.
Mini size: (2.1" W x 2.1" H x 3.2" L)

ACCESSORIES:

Same as AK-450.

CONFIDENTIAL DEALER PRICE LIST (Pg. 14)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL

ALTITUDE ENCODER PRODUCT LINES

P/N AK-350



ALTITUDE ENCODER – 30,000 ft
FAA TSO-C71 approved.

FEATURES:

- Extremely Accurate (+/- 20 Feet) and Extremely Reliable.
- Compatible with all Transponders.
- Prefabricated wiring Harness Assembly Included.
- Currently OEM Production Supply (FAA TC approved) to many Airframe Manufacturers including Mooney Aircraft, Aviat Aircraft, American Champion Aircraft, Luscomb Aircraft, Skystar, Diamond Aircraft of Canada, Aerospaciale Socata Aircraft of Germany etc.

ACCESSORIES:

Wiring Harness Assembly with Connector built-in
Thick Tygon Pneumatic Hose, Parker Hannifin Brass
Fittings, Anodized Mounting Tray.

NEW PRODUCT:

NEW PRODUCT:
NEW PRODUCT:
NEW PRODUCT:
NEW PRODUCT:
NEW PRODUCT:
NEW PRODUCT:

P/N IK-3502001-1



OPTIONAL ACCESSORY, Wiring Jumper

Wiring Jumper, wiring junction interfaces (parallel data) from Altitude Encoder to GPS / Transponders / EGPWS / Air Data Computer etc. This allows Unlimited Cascading to many other Receivers as needed.

Hence substituting the requirement for adding a Terminal Junction Block or PCB at the Encoder Data Outputs.

WARRANTY:

One and a half (1 1/2) years. Optional Extended Three (3) years Warranty.

P/N AK-350-D



DUAL ALTITUDE ENCODER – 30,000 ft
FAA TSO-C88a approved.

No AOG ever happens. Designed for continuous flight operation at all times. Complete Dual Circuitry for instant back-up. Always detect if there is a faulty transponder. The only action required is moving the existing Aircraft Wiring Cable from the primary to the secondary Encoder's Receptacle, then continues to fly again. No hassle, No excuse not to fly.

ACCESSORIES & WARRANTY:

Same as AK-350

P/N AK-35035



ALTITUDE ENCODER - 35,000 ft

Extended Temperature (-55 deg C to + 70 deg C).
All Accessories and Warranty (same as AK- 350)

P/N AK-35040



ALTITUDE ENCODER - 40,000 ft

Extended Temperature (-55 deg C to + 70 deg C).
All Accessories and Warranty (same as AK- 350)

P/N AK-35050



ALTITUDE ENCODER - 50,000 ft

Extended Temperature (-55 deg C to + 70 deg C).
All Accessories and Warranty (same as AK- 350)

P/N AK-35060



ALTITUDE ENCODER - 62,000 ft

Extended Temperature (-55 deg C to + 70 deg C).
All Accessories and Warranty (same as AK- 350)

P/N AK-35080



ALTITUDE ENCODER - 80,000 ft

Extended Temperature (-55 deg C to + 70 deg C).
All Accessories and Warranty (same as AK- 350)

CONFIDENTIAL DEALER PRICE LIST (Pg. 15)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.

OUTDOOR PRODUCT LINES

AK-451-(PLB)
(P-ELT)(P-EPIRB)

PLB PERSONAL LOCATOR BEACON
Triple Frequencies 406/121.5/243 MHz
FCC approved, exceeds RTCM Requirements



FEATURES:

- Applicable to all Land Uses, Hiking, Camping, Skiing, etc.
- Harsh/ Robust/ Heavy Duty PLB. Survival tested at 500G Shock; 1000G Crush.
- Ultra Long lasting Battery Package, up to 78 hours @ -20 deg C, end of 5 years life, 10 years storage life time. Lithium type, LiMnO₂, 4 D-Size.
- Dimension and Weight: (4.27"L x 2.95"W x 5.64"H), 1lb 8 oz
- Simple operations
- Protocol: Coding Programming International Worldwide, all available PLB Protocols, i.e. Long and Short Messages (User / User Location / Standard Location/ National Location) PLB w Serial No.
- OXCO conventional technology for perfect gradient temp stability.
- PERP: 5W+/-2 dB @ 406.028 MHz for 24Hrs
- PEIRP: (14-20) dBm @ 243 & 121.5 MHz for 78 Hrs @-20 deg C, end of life.
- Waterproof and Flame tested.
- Type Approvals: COSPAS-SARSAT, FCC.
- Patent Pending. Made in U.S.A.

WARRANTY:

Two (2) years. Optional extended Five (5) years Warranty

CONFIDENTIAL DEALER PRICE LIST (Pg. 16)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.	406 MHz ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES
---------------------	--

AK-451-(AF)(AP) w/ GPS INTERFACE AK-451-6	ELT EMERGENCY LOCATOR TRANSMITTER With GPS/NAV Position Triple Frequencies 406/121.5/243 MHz FAA TSO-C126/91A approved, ETSO-2C126/91A approved
---	--

DESCRIPTION:

The Ameri-King AK-451-(AF)(AP) Series is an Emergency Locator Transmitter. It transmits RF distress signal with aircraft ID immediately and accurately on triple (406 Satellite /243 Military /121.5 Civilian) MHz frequencies.

The supreme advantage feature is the aircraft GPS/NAV Latitude / Longitude exact position shall be transmitted, instantly, within 1 minute, on the very first burst, without waiting for a Polar Orbiting Satellite. Comparing with 406 MHz ELT without GPS/Nav position, this waiting period could be up to 4 hours.

Enhance the accuracy significantly, for the ground search area, from 1-2 kilometers (for 406 MHz ELT without GPS/ NAV Position) to 22 meters typical (for 406 MHz ELT with GPS/NAV Position).

Having triple frequencies insures your distress message reaches both NOAA Satellite Operation and US Air Force AFSR Ground Operation, Search and Rescue Team, with 100% fully confidence, due to transmitting on both 243.0 Military and 121.5 Civilian bands, for immediate ground search dispatch, narrowing the searching time to almost nothing.



AK-451-(AF)(AP)

ELT EMERGENCY LOCATOR TRANSMITTER
with GPS/NAV Position

Triple Frequencies 406/121.5/243 MHz

FAA TSO-C126/91A approved, ETSO-2C126/91A Approved

FEATURES:

- Applicable to all Aircraft types: Transport Aircraft; Business Jet Aircraft; General Aviation, Rotary Helicopters.
- Requires separate Single Antenna, Blade Type (1.0 Mach); Rod Type (350 Knots); Whip Type (250 Knots); and Portable Hand Use.
- Ultra Long Lasting, up to 78 hours @ -20 deg C, Lithium Battery Package, Li MnO₂ or Li SO₂, 4 D-Size Cells, 5 yrs useful life time.
- Made with Reliable sealed G Switch, for dependable safety.
- Optional Multi Axes (6 Axes) G Switch for Helicopter applications.
- Simple Installation. All accessories include Pre-fabricated Wiring Harness Assy, Remote Control Panel, Audible Warn Horn, Coaxial Cable Assy, and Universal Mounting Tray.
- Interface with External GPS/NAV, via RS-232 Aviation Protocol: Garmin Int'l Inc , Honeywell Bendix King Inc. , Trimble Nav Inc.; Arnav Inc., II Morrow Inc.
- Coding Programming Worldwide, all available ELT Protocols, i.e. Long Messages and Short Messages (Location Protocol; User Location Protocol; User Protocol)
- OXCO technology for perfect gradient temp stability.
- PERP: 5W (406.028 MHz) 50 mw (243.0/121.5) MHz
- RTCA Environmental Categories: F1XBA(204/183)(204/183) (204/183)XR(204/183)XXSXXXXA(204/183)BXXXX
- Dimension and Weight: (4.27"L x 2.95"W x 5.64"H), 1lb 8 oz
- Approvals: COSPAS-SARSAT, FAA, EASA, JAPAN, BRAZIL, FCC
- Patent Pending. Made in U.S.A.

WARRANTY:

Two (2) years. Optional Extended Four (4) years Warranty.

CONFIDENTIAL DEALER PRICE LIST (Pg. 17)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.

406 MHz ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES

AK-451-(AF)(AP)
w GPS/Whi/Por
(AK-451-23)

ELT EMERGENCY LOCATOR TRANSMITTER
With GPS/NAV Position
Triple Frequencies 406/121.5/243 MHz
FAA TSO-C126/91A approved, ETSO-2C126/91A approved



Main Unit



GPS Systems



Whip Antenna



Portable Antenna



Accessories



Portable Soft Case

DESCRIPTION:

ELT Set, FAA TSO C-126/91a approved, 406/243/121.5 MHz with GPS/NAV Position, Whip & Portable Ants, remote switch unit, pre-fab 25' wiring harness assembly, 6' coaxial cable assembly, portable soft case

CONFIDENTIAL DEALER PRICE LIST (Pg. 18)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.

406 MHz ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES

AK-451-(AF)(AP)
w GPS/Whi/Port
(AK-451-6) for
Boeing Aircrafts

ELT EMERGENCY LOCATOR TRANSMITTER
With GPS/NAV Position
Triple Frequencies 406/121.5/243 MHz
FAA TSO-C126/91A approved, ETSO-2C126/91A approved



Main Unit



GPS Systems



Whip Antenna



Portable Antenna



Accessories



Portable Soft Case

DESCRIPTION:

ELT Set, FAA TSO C-126/91a approved, 406/243/121.5 MHz with GPS/NAV Position, Whip & Portable Ants, remote switch unit, pre-fab 25' wiring harness assembly, 6' coaxial cable assembly, portable soft case

CONFIDENTIAL DEALER PRICE LIST (Pg. 19)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.

406 MHz ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES

AK-451-(AF)(AP)
w GPS/Rod3/Port
(AK-451-7) for
Boeing Aircrafts

ELT EMERGENCY LOCATOR TRANSMITTER
With GPS/NAV Position
Triple Frequencies 406/121.5/243 MHz
FAA TSO-C126/91A approved, ETSO-2C126/91A approved



Main Unit



Portable Antenna



Rod3/Rod4 Antenna



GPS Systems



Accessories



Portable Soft Case

DESCRIPTION:

ELT Set, FAA TSO C-126/91a approved, 406/243/121.5 MHz with GPS/NAV Position, Rod3 & Portable Ants , remote switch unit, pre-fab 25' wiring harness assembly, 6' coaxial cable assembly, portable soft case

CONFIDENTIAL DEALER PRICE LIST (Pg. 20)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.

406 MHz ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES

AK-451-(AF)(AP)
w GPS/Rod4/Port
(AK-451-8) for
Boeing Aircrafts

ELT EMERGENCY LOCATOR TRANSMITTER
With GPS/NAV Position
Triple Frequencies 406/121.5/243 MHz
FAA TSO-C126/91A approved, ETSO-2C126/91A approved



Main Unit



Portable Antenna



Rod4 Antenna



GPS Systems



Accessories



Portable Soft Case

DESCRIPTION:

ELT Set, FAA TSO C-126/91a approved, 406/243/121.5 MHz with GPS/NAV Position, Rod4 & Portable Ants , remote switch unit, pre-fab 25' wiring harness assembly, 6' coaxial cable assembly, portable soft case

CONFIDENTIAL DEALER PRICE LIST (Pg. 21)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.

406 MHz ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES

AK-451-(AF)(AP)
w GPS/Blade/Port
(AK-451-9) for
Boeing Aircrafts

ELT EMERGENCY LOCATOR TRANSMITTER
With GPS/NAV Position
Triple Frequencies 406/121.5/243 MHz
FAA TSO-C126/91A approved, ETSO-2C126/91A approved



Main Unit



Portable Antenna



Blade Antenna



GPS Systems



Accessories



Portable Soft Case

DESCRIPTION:

ELT Set , FAA TSO C-126/91a approved,
406/243/121.5 MHz with GPS/NAV Position,
Blade and Portable Ants , remote switch unit,
pre-fab 25' wiring harness assembly, 6' coaxial
cable assembly, portable soft case

CONFIDENTIAL DEALER PRICE LIST (Pg. 22)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.	406 MHZ ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES
---------------------------------	--

AK-451-(AP) (AK-451-10)	ELT EMERGENCY LOCATOR TRANSMITTER, PORTABLE Triple Frequencies 406/121.5/243 MHz FAA TSO-C126/91A approved ETSO-2C126/91A Approved
------------------------------------	---

DESCRIPTION:

The Ameri-King AK-451-(AP) Series is an Emergency Locator Transmitter for portable uses. It transmits RF distress signal with aircraft ID immediately and accurately on triple (406 Satellite /243 Military /121.5 Civilian) MHz frequencies.

Having triple frequencies insures your distress message reaches both NOAA Satellite Operation and US Air Force AFSR Ground Operation, Search and Rescue Team, with 100% fully confidence, due to transmitting on both 243.0 Military and 121.5 Civilian bands, for immediate ground search dispatch, narrowing the searching time to almost nothing.

FEATURES:

- Applicable to all Aircraft types: Transport Aircraft; Business Jet Aircraft; General Aviation, Rotary Helicopters.
- Built-in integral Antenna, Fixed aircraft installed or Portable Hand Use .
- No Antenna Ground Plane required.
- Ultra Long Lasting, up to 90 hours @ -20 deg C, Lithium Battery Package, Li MnO₂ or Li SO₂, 4 D-Size Cells, 5 yrs useful life time.
- Made with Reliable sealed G Switch, for dependable safety.
- Optional Multi Axes (6 Axes) G Switch for Helicopter applications.
- Simple Installation. All accessories include Pre-fabricated Wiring Harness Assy, Remote Control Switch, Audible Warn Horn, and Cup Mounting Tray.
- Optional Interfacability with External GPS/NAV, via RS-232 Aviation Protocol: Garmin Int'l Inc, Honeywell Bendix King Inc. , Trimble Nav Inc.; Arnav Inc., Il Morrow Inc.
- Coding Programming Worldwide, all available ELT Protocols, i.e. Long Messages and Short Messages (Location Protocol; User Location Protocol; User Protocol)
- OXCO technology for perfect gradient temp stability.
- PERP: 5W (406.028 MHz) 50 mw (243.0/121.5) MHz
- RTCA Environmental Categories: F1XBA(204/183)(204/183) (204/183)XR(204/183)XSXXXXA(204/183)BXXXX
- Dimension and Weight: (4.27"L x 2.95"W x 5.64"H), 1lb 8 oz
- Approvals: COSPAS-SARSAT, FAA, EASA, JAPAN, BRAZIL, FCC
- Patent Pending. Made in U.S.A.

WARRANTY:

Two (2) years. Optional Extended Four (4) years Warranty.



CONFIDENTIAL DEALER PRICE LIST (Pg. 23)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.	406 MHz ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES
---------------------------------	--

AK-451-(S) (AK-451-11)	ELT EMERGENCY LOCATOR TRANSMITTER, SURVIVAL Triple Frequencies 406/121.5/243 MHz FAA TSO-C126/91A approved ETSO-2C126/91A Approved
-----------------------------------	---

DESCRIPTION:

The Ameri-King AK-451-(S) Series is an Emergency Locator Transmitter for survival purposes. It transmits RF distress signal with aircraft ID immediately and accurately on triple (406 Satellite /243 Military /121.5 Civilian) MHz frequencies.

Having triple frequencies insures your distress message reaches both NOAA Satellite Operation and US Air Force AFSR Ground Operation, Search and Rescue Team, with 100% fully confidence, due to transmitting on both 243.0 Military and 121.5 Civilian bands, for immediate ground search dispatch, narrowing the searching time to almost nothing.

FEATURES:

- Applicable to all Aircraft types: Transport Aircraft; Business Jet Aircraft; General Aviation, Rotary Helicopters.
- Integral Antenna, Portable Hand Use.
- Ultra Long Lasting, up to 78 hours @ -20 deg C, Lithium Battery Package, Li MnO₂ or Li SO₂, 4 D-Size Cells, 5 yrs useful life time.
- Simple Installation. All accessories include Universal Mounting Tray.
- Coding Programming Worldwide, all available ELT Protocols, i.e. Long Messages and Short Messages (Location Protocol; User Location Protocol; User Protocol)
- OXCO technology for perfect gradient temp stability.
- PERP: 5W (406.028 MHz) 50 mw (243.0/121.5) MHz
- RTCA Environmental Categories: F1XBA(204/183)(204/183)
(204/183)XR(204/183)XXSXXXXA(204/183)BXXXX
- Dimension and Weight: (4.27"L x 2.95"W x 5.64"H), 1lb 8 oz
- Approvals: COSPAS-SARSAT, FAA, EASA, JAPAN, BRAZIL, FCC
- Patent Pending. Made in U.S.A.

WARRANTY:

Two (2) years. Optional Extended Four (4) years Warranty.



CONFIDENTIAL DEALER PRICE LIST (Pg. 24)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.	406 MHz ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES
---------------------------------	--

AK-451-(AF)(AP) /Whi/ Por (AK-451-0)	ELT EMERGENCY LOCATOR TRANSMITTER Tripple Frequencies 406/121.5/243 MHz FAA TSO-C126/91A/142 approved, ETSO-2C126/91A approved
---	---

DESCRIPTION:

The Ameri-King AK-451-(AF) Series is an Emergency Locator Transmitter. It transmits RF distress signal with aircraft ID immediately and accurately on tripple(406 Satellite /121.5 Civilian) MHz frequencies.



AK-451-(AF)(AP)

ELT EMERGENCY LOCATOR TRANSMITTER

Tripple Frequencies 406/121.5/243 MHz

**FAA TSO-C126/91A and ETSO-2C126/91A
approved**

FEATURES:

- Applicable to all Aircraft types: Transport Aircraft; Business Jet Aircraft; General Aviation, Rotary Helicopters.
- Requires separate Single Antenna, Blade Type (1.0 Mach); Rod Type (350 Knots); Whip Type (250 Knots); and Portable Hand Use.
- Ultra Long Lasting, up to 78 hours @ -20 deg C, Lithium Battery Package, Li MnO₂ or Li SO₂, 4 D-Size Cells, 5 yrs useful life time.
- Made with Reliable sealed G Switch, for dependable safety.
- Optional Multi Axes (6 Axes) G Switch for Helicopter applications.
- Simple Installation. All accessories include Pre-fabricated 25 ft Wiring Harness Assy, Remote Control Panel, Audible Warn Horn, 6 ft Coaxial Cable Assy, Universal Mounting Tray, and Portable Soft case.
- Coding Programming Worldwide, all available ELT Protocols, i.e. Long Messages and Short Messages (Location Protocol; User Location Protocol; User Protocol)
- OXCO technology for perfect gradient temp stability.
- PERP: 5W (406.028 MHz) 50 mw (243.0/121.5) MHz
- RTCA Environmental Categories: F1XBA(204/183)(204/183) (204/183)XR(204/183)XXSXXXXA(204/183)BXXXX
- Dimension and Weight: (4.27"L x 2.95"W x 5.64"H), 1lb 8 oz
- Approvals: COSPAS-SARSAT, FAA, EASA, JAPAN, BRAZIL, FCC
- Patent Pending. Made in U.S.A.

WARRANTY:

Two (2) years. Optional Extended Four (4) years Warranty.

CONFIDENTIAL DEALER PRICE LIST (Pg. 25)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

**MODEL &
PART NO.**

**406 MHz ELT EMERGENCY LOCATOR
TRANSMITTER PRODUCT LINES**

**AK-451-(AF)(AP)
/Whi/ USA
(AK-451-1)**

**ELT EMERGENCY LOCATOR TRANSMITTER
Tripple Frequencies 406/121.5/243 MHz
FAA TSO-C126/91A/142 approved, ETSO-2C126/91A approved**



Main Unit



Whip Antenna



Accessories



Portable Soft Case

DESCRIPTION:

ELT Set, FAA TSO C-126/91a approved, 406/243/121.5MHz, Whip & Antenna , remote switch unit, pre-fab 25' wiring harness assembly, 6' coaxial cable assembly, portable soft case. **USA Registration.**

CONFIDENTIAL DEALER PRICE LIST (Pg. 26)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

**MODEL &
PART NO.**

**406 MHz ELT EMERGENCY LOCATOR
TRANSMITTER PRODUCT LINES**

**AK-451-(AF)(AP)
/Whi/ Por/ USA
(AK-451-2)**

**ELT EMERGENCY LOCATOR TRANSMITTER
Tripple Frequencies 406/121.5/243 MHz
FAA TSO-C126/91A/142 approved, ETSO-2C126/91A approved**



Main Unit



Whip Antenna



Portable Antenna



Accessories



Portable Soft Case

DESCRIPTION:

ELT Set, FAA TSO C-126/91a approved, 406/243/121.5MHz, Whip & Portable Ants , remote switch unit, pre-fab 25' wiring harness assembly, 6' coaxial cable assembly, portable soft case. **USA Registration.**

CONFIDENTIAL DEALER PRICE LIST (Pg. 27)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.	406 MHz ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES
---------------------	--

AK-451-(AF)(AP) /Whi/ Por/ Canada (AK-451-20)	ELT EMERGENCY LOCATOR TRANSMITTER Tripple Frequencies 406/121.5/243 MHz FAA TSO-C126/91A/142 approved, ETSO-2C126/91A approved
---	--



Main Unit



Whip Antenna



Portable Antenna



Accessories



Portable Soft Case

DESCRIPTION:

ELT Set, FAA TSO C-126/91a approved, 406/243/121.5MHz, Whip & Portable Ants , remote switch unit, pre-fab 25' wiring harness assembly, 6' coaxial cable assembly, portable soft case. **Canadian Registration.**

CONFIDENTIAL DEALER PRICE LIST (Pg. 28)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.	406 MHz ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES
---------------------------------	--

AK-451-(AF)(AP) /Whi/ Por/ WW (AK-451-21-Country)	ELT EMERGENCY LOCATOR TRANSMITTER Tripple Frequencies 406/121.5/243 MHz FAA TSO-C126/91A/142 approved, ETSO-2C126/91A/142 approved
--	---



Main Unit



Whip Antenna



Portable Antenna



Accessories



Portable Soft Case

DESCRIPTION:

ELT Set, FAA TSO C-126/91a approved, 406/243/121.5MHz, Whip & Portable Ants , remote switch unit, pre-fab 25' wiring harness assembly, 6' coaxial cable assembly, portable soft case .

Worldwide, Europe/ Australia/ Asia/Africa Registration. **Please specify Country.**

A	B	C
Adelie Land Afghanistan Alaska (State of) Albania (Republic of) Algeria (People's Democratic Republic of) American Samoa Andorra (Principality of) Angola (Republic of) Anguilla Antigua and Barbuda Argentine Republic Armenia (Republic of) Aruba Ascension Island Australia Austria Azerbaijani Republic Azores	Bahamas (Commonwealth of the) Bahrain (Kingdom of) Bangladesh (People's Republic of) Barbados Belarus (Republic of) Belgium Belize Benin (Republic of) Bermuda Bhutan (Kingdom of) Bolivia (Republic of) Bosnia and Herzegovina Botswana (Republic of) Brazil (Federative Republic of) British Virgin Islands Brunei Darussalam Bulgaria (Republic of) Burkina Faso Burundi (Republic of)	Cambodia (Kingdom of) Cameroon (Republic of) Canada Cape Verde (Republic of) Cayman Islands Central African Republic Chad (Republic of) Chile China (People's Republic of) Christmas Island (Indian Ocean) Cocos (Keeling) Islands Colombia (Republic of) Comoros (Union of the) Congo (Republic of the) Cook Islands Costa Rica Côte d'Ivoire (Republic of) Croatia (Republic of) Crozet Archipelago Cuba Cyprus (Republic of) Czech Republic
D	E	F
Democratic People's Republic of Korea Democratic Republic of the Congo Denmark Djibouti (Republic of) Dominica (Commonwealth of) Dominican Republic	Ecuador Egypt (Arab Republic of) El Salvador (Republic of) Equatorial Guinea (Republic of) Eritrea Estonia (Republic of) Ethiopia (Federal Democratic Republic of)	Falkland Islands (Malvinas) Faroe Islands Fiji (Republic of) Finland France French Polynesia
G	H	I
Gabonese Republic Gambia (Republic of the) Georgia Germany (Federal Republic of) Ghana Gibraltar Greece Greenland Grenada Guadeloupe (French Department of) Guatemala (Republic of) Guiana (French Department of) Guinea (Republic of) Guinea-Bissau (Republic of) Guyana	Haiti (Republic of) Honduras (Republic of) Hong Kong (Special Administrative Region of China) Hungary (Republic of)	Iceland India (Republic of) Indonesia (Republic of) Iran (Islamic Republic of) Iraq (Republic of) Ireland Israel (State of) Italy

J	K	L
Jamaica Japan Jordan (Hashemite Kingdom of)	Kazakhstan (Republic of) Kenya (Republic of) Kerguelen Islands Kiribati (Republic of) Korea (Republic of) Kuwait (State of) Kyrgyz Republic	Lao People's Democratic Republic Latvia (Republic of) Lebanon Lesotho (Kingdom of) Liberia (Republic of) Liechtenstein (Principality of) Lithuania (Republic of) Luxembourg
M	N	O
Macao (Special Administrative Region of China) Madagascar (Republic of) Madeira Malawi Malaysia Maldives (Republic of) Mali (Republic of) Malta Marshall Islands (Republic of the) Martinique (French Department of) Mauritania (Islamic Republic of) Mauritius (Republic of) Mexico Micronesia (Federated States of) Moldova (Republic of) Monaco (Principality of) Mongolia Montenegro (Republic of) Montserrat Morocco (Kingdom of) Mozambique (Republic of) Myanmar (Union of)	Namibia (Republic of) Nauru (Republic of) Nepal Netherlands (Kingdom of the) Netherlands Antilles New Caledonia New Zealand Nicaragua Niger (Republic of the) Nigeria (Federal Republic of) Niue Northern Mariana Islands (Commonwealth of the) Norway	Oman (Sultanate of)
P	Q	R
Pakistan (Islamic Republic of) Palau (Republic of) Palestine (In accordance with Resolution 99 Rev. Antalya, 2006) Panama (Republic of) Papua New Guinea Paraguay (Republic of) Peru Philippines (Republic of the) Pitcairn Island Poland (Republic of) Portugal Puerto Rico	Qatar (State of)	Reunion (French Department of) Romania Russian Federation Rwanda (Republic of)

S	T	U
Saint Helena Saint Kitts and Nevis (Federation of) Saint Lucia Saint Paul and Amsterdam Islands Saint Pierre and Miquelon (Territorial Collectivity of) Saint Vincent and the Grenadines Samoa (Independent State of) San Marino (Republic of) Sao Tome and Principe (Democratic Republic of) Saudi Arabia (Kingdom of) Senegal (Republic of) Serbia (Republic of) Seychelles (Republic of) Sierra Leone Singapore (Republic of) Slovak Republic Slovenia (Republic of) Socialist People's Libyan Arab Jamahiriya Solomon Islands Somali Democratic Republic South Africa (Republic of) Spain Sri Lanka (Democratic Socialist Republic of) Sudan (Republic of the) Suriname (Republic of) Swaziland (Kingdom of) Sweden Switzerland (Confederation of) Syrian Arab Republic	Taiwan (Province of China) Tanzania (United Republic of) Thailand The Former Yugoslav Republic of Macedonia Togolese Republic Tonga (Kingdom of) Trinidad and Tobago Tunisia Turkey Turkmenistan Turks and Caicos Islands Tuvalu	Uganda (Republic of) Ukraine United Arab Emirates United Kingdom of Great Britain and Northern Ireland United States Virgin Islands United States of America Uruguay (Eastern Republic of) Uzbekistan (Republic of)
V	W	Y
Vanuatu (Republic of) Vatican City State Venezuela (Bolivarian Republic of) Viet Nam (Socialist Republic of)	Wallis and Futuna Islands	Yemen (Republic of)
Z		
Zambia (Republic of) Zimbabwe (Republic of)		

CONFIDENTIAL DEALER PRICE LIST (Pg. 32)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.	406 MHz ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES
---------------------------------	--

AK-451-(AF)(AP) /Rod3/Por (AK-451-3)	ELT EMERGENCY LOCATOR TRANSMITTER Tripple Frequencies 406/121.5/243 MHz FAA TSO-C126/91A/142 approved, ETSO-2C126/91A approved
---	---



Main Unit



Portable Antenna



Rod3 Antenna



Accessories



Portable Soft Case

DESCRIPTION:

ELT Set FAA TSO C-126/91a approved,,406/243/121.5MHz, Rod3 & Portable Ants , remote switch unit, pre-fab 25' wiring harness assembly, 6' coaxial cable assembly, portable soft case

CONFIDENTIAL DEALER PRICE LIST (Pg. 33)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.	406 MHz ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES
---------------------------------	--

AK-451-(AF)(AP) /Rod4/Por (AK-451-4)	ELT EMERGENCY LOCATOR TRANSMITTER Tripple Frequencies 406/121.5/243 MHz FAA TSO-C126/91A/142 approved, ETSO-2C126/91A approved
---	---



Main Unit



Portable Antenna



Rod4 Antenna



Accessories



Portable Soft Case

DESCRIPTION:

ELT Set FAA TSO C-126/91a approved,,406/243/121.5MHz, Rod4 & Portable Ants , remote switch unit, pre-fab 25' wiring harness assembly, 6' coaxial cable assembly, portable soft case

CONFIDENTIAL DEALER PRICE LIST (Pg. 34)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.	406 MHZ ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES
---------------------------------	--

AK-451-(AF)(AP) /Bla/Por (AK-451-5)	ELT EMERGENCY LOCATOR TRANSMITTER Tripple Frequencies 406/121.5/243 MHz FAA TSO-C126/91A/142 approved, ETSO-2C126/91A approved
--	---



Main Unit



Blade Antenna



Portable Antenna



Accessories



Portable Soft Case

DESCRIPTION:

ELT Set, FAA TSO C-126/91a approved, 406/243/121.5MHz, Blade and Portable Ants , remote switch unit, pre-fab 25' wiring harness assembly, 6' coaxial cable assembly, portable soft case

CONFIDENTIAL DEALER PRICE LIST (Pg. 35)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.	406 MHz ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES
---------------------	--

AK-451-(AF)(AP) /Heli/Whi/Por (AK-451-15)	ELT EMERGENCY LOCATOR TRANSMITTER, HELICOPTERS Tripple Frequencies 406/121.5/243 MHz FAA TSO-C126/91A/142 approved, ETSO-2C126/91A approved
---	---



Main Unit



Whip Antenna



Portable Antenna



Accessories



Portable Soft Case

DESCRIPTION:

ELT Set, **for Helicopter**, FAA TSO C-126/91a approved, 406/243/121.5MHz, Whip & Portable Antennas , remote switch unit, pre-fab 25' wiring harness assembly, 6' coaxial cable assembly, portable soft case

CONFIDENTIAL DEALER PRICE LIST (Pg. 36)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.	406 MHz ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES
---------------------------------	--

AK-451-(AF)(AP) /Heli/Rod3/Por (AK-451-14)	ELT EMERGENCY LOCATOR TRANSMITTER, HELICOPTERS Tripple Frequencies 406/121.5/243 MHz FAA TSO-C126/91A/142 approved, ETSO-2C126/91A/142 approved
---	--



Main Unit



Portable Antenna



Rod3 Antenna



Accessories



Portable Soft Case

DESCRIPTION:

ELT Set , **for Helicopters,**
FAA TSO C-126/91a approved,
06/243/121.5MHz, Rod & Portable Ants
, remote switch unit, pre-fab 25' wiring
harness assembly, 6' coaxial cable
assembly, portable soft case

CONFIDENTIAL DEALER PRICE LIST (Pg. 37)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.	406 MHZ ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES
---------------------------------	--

AK-451-(AF)(AP)	ELT EMERGENCY LOCATOR TRANSMITTER, HELICOPTERS
GPS/Heli/Whip/Por	Tripple Frequencies 406/121.5/243 MHz
(AK-451-17)	FAA TSO-C126/91A/142 approved, ETSO-2C126/91A/142 approved

for Boeing Aircrafts



Main Unit



Portable Antenna



Whip Antenna



GPS Systems



Accessories



Portable Soft Case

DESCRIPTION:

ELT Set, **for Helicopter**, FAA TSO C-126/91a approved, 406/243/121.5 MHz with GPS/NAV Position, w Whip & Portable Ants , remote switch unit, pre-fab 25' wiring harness assembly, 6' coaxial cable assembly, portable soft case

CONFIDENTIAL DEALER PRICE LIST (Pg. 38)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.	406 MHZ ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES
---------------------------------	--

AK-451-(AF)(AP)	ELT EMERGENCY LOCATOR TRANSMITTER, HELICOPTERS
GPS/Heli/ Rod3/Por	Tripple Frequencies 406/121.5/243 MHz
(AK-451-18)	FAA TSO-C126/91A/142 approved, ETSO-2C126/91A/142 approved

for Boeing Aircrafts



Main Unit



Rod3 Antenna



Portable Antenna



GPS Systems



Accessproies



Portable Soft Case

DESCRIPTION:

ELT Set, **for Helicopter**, FAA TSO C-126/91a approved, 406/243/121.5 MHz with GPS/NAV Position, w Rod3 & Portable Ants , remote switch unit, pre-fab 25' wiring harness assembly, 6' coaxial cable assembly, portable soft case

CONFIDENTIAL DEALER PRICE LIST (Pg. 39)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

(Reserved)

CONFIDENTIAL DEALER PRICE LIST (Pg. 40)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.	406 MHz ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES
---------------------	--

AK-451-(AF)(AP) /Heli /w 450000-1 /Whi/Por (AK-451-12)	ELT EMERGENCY LOCATOR TRANSMITTER, HELICOPTERS Tripple Frequencies 406/121.5/243 MHz FAA TSO-C126/91A/142 approved, ETSO-2C126/91A/142 approved
---	---



Main Unit



Whip Antenna



Portable Antenna



Accessories



Portable Soft Case

DESCRIPTION:

ELT Set **for Helicopter**, w Optional Multi Axes (6 Axes) G switch, FAA TSO C-126/91a approved, 406/243/121.5MHz, Whip & Portable Ants , remote switch unit, pre-fab 25' wiring harness assembly, 6' coaxial cable assembly, portable soft case

CONFIDENTIAL DEALER PRICE LIST (Pg. 41)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.	406 MHZ ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES
---------------------------------	--

AK-451-(AF)(AP) /Heli/w 450000-1 /Rod4/Por (AK-451-16)	ELT EMERGENCY LOCATOR TRANSMITTER, HELICOPTERS Tripple Frequencies 406/121.5/243 MHz FAA TSO-C126/91A/142 approved, ETSO-2C126/91A/142 approved
---	--



Main Unit



Portable Antenna



Rod3 Antenna



Accessories



Portable Soft Case

DESCRIPTION:

ELT Set **for Helicopter**, w Optional Multi Axes (6 Axes) G switch, FAA TSO C-126/91a approved, 406/243/121.5MHz, Rod & Portable Ants , remote switch unit, pre-fab 25' wiring harness assembly, 6' coaxial cable assembly, portable soft case

CONFIDENTIAL DEALER PRICE LIST (Pg. 42)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO. 406 MHz ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES

AK-451-(AF)(AP) ELT EMERGENCY LOCATOR TRANSMITTER, HELICOPTERS
w GPS/Heli Tripple Frequencies 406/121.5/243 MHz
/450000-1/Whi/Por FAA TSO-C126/91A/142 approved, ETSO-2C126/91A/142 approved
(AK-451-19)
for Boeing Aircrafts



Main Unit



Whip Antenna



Portable Antenna



GPS Systems



Accessories



Portable Soft Case

DESCRIPTION:

ELT Set **for Helicopter**, w GPS & Optional Multi Axes (6 Axes) G switch, FAA TSO C-126/91a approved, 406/243/121.5MHz, with Whip & Portable Ants , remote switch unit, pre-fab 25' wiring harness assembly, 6' coaxial cable assembly, portable soft case

CONFIDENTIAL DEALER PRICE LIST (Pg. 43)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO. 406 MHz ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES

AK-451-(AF)(AP) ELT EMERGENCY LOCATOR TRANSMITTER, HELICOPTERS
w GPS/Heli Tripple Frequencies 406/121.5/243 MHz
/450000-1/Rod3/Port FAA TSO-C126/91A/142 approved, ETSO-2C126/91A/142 approved
(AK-451-13)
for Boeing Aircrafts



Main Unit



Rod3 Antenna



Portable Antenna



GPS Systems



Accessories



Portable Soft Case

DESCRIPTION:

ELT Set **for Helicopter**, w GPS & Optional Multi Axes (6 Axes) G switch, FAA TSO C-126/91a approved, 406/243/121.5MHz, with Rod 3 & Portable Ants , remote switch unit, pre-fab 25' wiring harness assembly, 6' coaxial cable assembly, portable soft case

CONFIDENTIAL DEALER PRICE LIST (Pg. 44)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.	406 MHz ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES
---------------------	--

AK-451-RK1-C /Whi/ Por	Retrofit Kit, ELT EMERGENCY LOCATOR TRANSMITTER Tripple Frequencies 406/121.5/243 MHz
---------------------------	--

AK-451-RK1A-C /Rod3/ Por	FAA TSO-C126/91A/142 approved ETSO-2C126/91A approved
-----------------------------	--



Main Unit



Whip Antenna

** Included with all models except Beechcraft King Air C90GTi and Piper Meridian **



Portable Antenna

** Included with all models **



Rod3 Antenna

** Only included with Beechcraft King Air C90GTi and Piper Meridian **



Accessories



Portable Soft Case

DESCRIPTION:

ELT Retrofit Kit, FAA TSO C-126/91a approved, 406/243/121.5MHz, Whip & Portable Ants , remote switch unit, pre-fab 25' wiring harness assembly, 6' coaxial cable assembly, portable soft case, wiring adapter, mounting adapter.

AK-451-RK1-C & AK-451-RK1A-C: LIST OF APPLICABLE AIRCRAFTS (Pg. 45)

[illegible]

CONFIDENTIAL DEALER PRICE LIST (Pg. 46)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.	406 MHz ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES
---------------------------------	--

AK-451-RK1-GPS-C w GPS/Whi/Por	Retrofit Kit, ELT EMERGENCY LOCATOR TRANSMITTER With GPS/NAV Position
--	--

AK-451-RK1A-GPS-C w GPS/Rod3/Por	Triple Frequencies 406/121.5/243 MHz, FAA TSO-C126/91A approved ETSO-2C126/91A approved
--	--



Main Unit



GPS Systems



Whip Antenna

** Included with all models except Beechcraft King Air C90GTi and Piper Meridian **



Portable Antenna

** Included with all models **



Rod3 Antenna

** Only included with Beechcraft King Air C90GTi and Piper Meridian **



Accessories



Portable Soft Case

DESCRIPTION:

ELT Retrofit Kit, FAA TSO C-126/91a approved, 406/243/121.5 MHz with GPS/NAV Position, Whip & Portable Ants, remote switch unit, pre-fab 25' wiring harness assembly, 6' coaxial cable assembly, wiring adapter, mounting adapter, portable soft case

AK-451-RK1-GPS-C & AK-451-RK1A-GPS-C: LIST OF APPLICABLE AIRCRAFTS (Pg. 47)

Range	American Champion Aircraft	Beechcraft	Bell Helicopter	Cessna Aircraft	Cirrus Aircraft	Commander Premier Aircraft	Diamond Aircraft	Eurocopter	Mooney Airplane	Piper Aircraft	Robinson Helicopter	Sikorsky Aircraft
<div>< 250 ktas</div> <div>Whip antenna</div>	Champ	Bonanza G36	206B3 Jetranger III	SkyCatcher 162	SR20	Commander 115 ‘Super Commander’	DA20	EC120B	Ovation2 GX	Mirage	R22 Beta II	S-76 (S-76++, S- 76D)
	Aurora	Baron G58	206L4 Longranger IV	Skyhawk 172 Skylane 182	SR22 Turbo	Commander 114B	DA40 XLS DA40 CS DA42 DA50	Ecureuil (AS350 B2, AS350 B3, EC130 B4, AS355 NP)	Ovation3	Matrix	R44 Raven I	PZL Mielec Fixed Wing (M18, M28)
	Adventure							Acclaim Type S	Seneca V	R44 Raven II		
	Explorer							Light Piston Helicopters (S- 300C, S-300CBi)				
	Super Decathlon								EC135 P2i/T2i	Seminole		
	Scout								EC145	Arrow		
									Dauphin (AS365 N3, EC155 B1)	Warrior III		
									Super Puma (AS332 L1, EC225)			
									Fennec (AS 550C3, AS 555AN/SN)			
									EC 635 P2/T2			
									Panther (AS565UB, AS565MB)			
									Cougar (AS 532SC, AS 532 AL, EC 725)			
									Tiger (HAP, UHT)			
									NH90 (TTH, NFH)			
<div>250 – 300 ktas</div> <div>Rod3 antenna</div>		King Air C90GTi							Meridian			

CONFIDENTIAL DEALER PRICE LIST (Pg. 48)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

MODEL & PART NO.	406 MHZ ELT EMERGENCY LOCATOR TRANSMITTER PRODUCT LINES
---------------------------------	--

AK-451-RK2-C /Bla/Por	Retrofit Kit, ELT EMERGENCY LOCATOR TRANSMITTER Tripple Frequencies 406/121.5/243 MHz FAA TSO-C126/91A/142 approved, ETSO-2C126/91A approved
----------------------------------	---



Main Unit



Blade Antenna



Portable Antenna



Accessories



Portable Soft Case

DESCRIPTION:

ELT Retrofit Kit, FAA TSO C-126/91a approved, 406/243/121.5MHz, Blade and Portable Ants , remote switch unit, pre-fab 25' wiring harness assembly, 6' coaxial cable assembly, wiring adapter, mounting adapter, portable soft case

AK-451-RK2-C: LIST OF APPLICABLE AIRCRAFTS (Pg. 49)

Range	Beechcraft	Bombardier	Cessna Aircraft	Diamond Aircraft	Eclipse Aviation	Embraer	Hawker	Piper Aircraft
> 300 ktas Blade antenna	King Air B200GT	Learjet 40 XR	Mustang	D-Jet	Eclipse 400	EMB 120	Hawker 400XP	PiperJet
			CJ1+		Eclipse 500	ERJ 135		
	King Air 350	Learjet 45 XR	CJ2+			ERJ 140	Hawker 750	
	Premier IA	Learjet 60 XR	CJ3			ERJ 145	Hawker 850XP	
			CJ4			ERJ 145 XR	Hawker 900XP	
		Challenger 300	Encore+			Phenom 100	Hawker 4000	
		Challenger 605	XLS+			Phenom 300		
		Challenger 850	Sovereign			Legacy 450		
		Global 5000				Legacy 500		
		Global Express XRS				Legacy 600		
						Lineage 1000		

CONFIDENTIAL DEALER PRICE LIST (Pg. 50)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

**MODEL &
PART NO.**

**406 MHz ELT EMERGENCY LOCATOR
TRANSMITTER PRODUCT LINES**

**AK-451-RK2-GPS-C
w GPS/Blade/Por**

**Retrofit Kit, ELT EMERGENCY LOCATOR TRANSMITTER
With GPS/NAV Position
Triple Frequencies 406/121.5/243 MHz
FAA TSO-C126/91A approved, ETSO-2C126/91A approved**



Main Unit



Portable Antenna



Blade Antenna



GPS Systems



Accessories



Portable Soft Case

DESCRIPTION:

ELT Retrofit Kit, FAA TSO C-126/91a approved, 406/243/121.5 MHz with GPS/NAV Position, Blade and Portable Ants , remote switch unit, pre-fab 25' wiring harness assembly, 6' coaxial cable assembly, wiring adapter, mounting adapter, portable soft case

AK-451-RK2-GPS-C: LIST OF APPLICABLE AIRCRAFTS (Pg. 51)

Range	Beechcraft	Bombardier	Cessna Aircraft	Diamond Aircraft	Eclipse Aviation	Embraer	Hawker	Piper Aircraft
> 300 ktas Blade antenna	King Air B200GT	Learjet 40 XR	Mustang	D-Jet	Eclipse 400	EMB 120	Hawker 400XP	PiperJet
			CJ1+		Eclipse 500	ERJ 135		
	King Air 350	Learjet 45 XR	CJ2+			ERJ 140	Hawker 750	
	Premier IA	Learjet 60 XR	CJ3			ERJ 145	Hawker 850XP	
			CJ4			ERJ 145 XR	Hawker 900XP	
		Challenger 300	Encore+			Phenom 100	Hawker 4000	
		Challenger 605	XLS+			Phenom 300		
		Challenger 850	Sovereign			Legacy 450		
		Global 5000				Legacy 500		
		Global Express XRS	X			Legacy 600		
						Lineage 1000		

CONFIDENTIAL DEALER PRICE LIST (Pg. 52)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

*** The following accessories are applicable for AK-451 models only

PART NO.	ACCESSORIES for AK-451 MODELS
450004	Extra Remote Switch Unit Assy
4510041	Extra Extended Wiring Interconnect Assembly, (30 - 50) ft length
451013	Extra Mounting Tray
451014	Extra Velcro Holder
4510171	Coaxial Cable Assembly, RG142/400, 6 feet
451018	Audio Buzzer Monitor Unit
4510181	T-adaptor Connector
451019	Hex Key Tool
TS-451-P	ELT/PLB Coding Programmer for AK-451



CONFIDENTIAL DEALER PRICE LIST (Pg. 53)

Distributor and Dealer Inquiry invited. Please call Factory for quantity Discount.

LOWEST PRICE COMMITMENT: Ameri-King Corporation shall match 10% below any other Manufacturer Competitor's Prices, including any Seasoning Special Sale Promotion Discount Sales, from any Distributor, period. Please contact Factory for immediate 10% Price Matching Policy. Drop Ship is acceptable.

*** The following accessories are applicable for AK-451 models only

PART NO.

ACCESSORIES for AK-451 MODELS

IK-451-()	Installation Adapter Kit for ACK/ Pointer/ Narco/ Artex/ Kanad
4510041-M	Optional Mil Spec Remote 25' wiring Harness Assy. Any specified length
451017-1B	Antenna, Whip type, Gen Aviation, 250knots, 406/121.5 MHz
451017-2A-1	Antenna, Rod3 type, Business Jet aircraft, 350 knots, 406/243/121.5 MHz
451017-2A	Antenna, Rod4 type, Business Jet aircraft, 350 knots, 406/243/121.5 MHz
451017-3A	Antenna, Blade type, Transport aircraft, 1.0 Mach, 406/243/121.5 MHz
451017-4S	Antenna, Portable Hand Use, 406/243/121.5 MHz
4500010-1	Battery Pack, Lithium, LiMnO2, 4 D-cells, 90 Hrs lasting, 5 year useful life
4500010-2	Battery Pack, Lithium, LiSO2, 4 D-cells, 87 Hrs lasting, 5 year useful life
TS-451	Computer Test Set and ELT Coding Equipment for AK-451
TS-451-PGM	ELT Coding Programming and Maintenance Test Software for AK-451
TS-451-PG	ELT Coding Programming Software for AK-451
TS-451-ID	ELT ID Reader Software for AK-451

